

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6071	MASK\$5 NEAR (GATES OR LATCHES OR LOGIC OR "OR" OR "AND")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/12 14:09
L2	2	1 NEAR3 (DATA NEAR LINES)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/12 14:10
L3	109552	data near2 lines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/12 14:10
L4	475	3 near3 mask\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/12 14:11
L5	55	4 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/12 14:11
S1	1020	red same green same blue same (data near lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:28
S2	2	S1 same mask\$5 near2 (gates or "and" or nand or nor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:30
S3	1374	mask\$5 near2 gates	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:30
S4	19	S3 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:34

EAST Search History

S5	1383946	color or colour or pixel or (red same blue same green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:34
S6	54139	S5 same mask\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:35
S7	159	S6 same (adjust\$5 near3 pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:47
S8	397	predetermined with times with mask\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:47
S9	30	S8 same adjust\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:49
S10	964	mask\$5 with data near lines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:50
S11	212	S10 same tim\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:50
S12	78	S11 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 15:50
S13	68	masking near gates	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:07
S14	4	S13 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:07

EAST Search History

S15	8893	masking with (color or colour or pixel or red or green or blue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:08
S16	764	S15 same (gate or "and" or nand or buffer or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:09
S17	231	S16 same (processor or cpu or mpu or controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:10
S18	129	S17 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:16
S19	964	data near lines with mask\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:16
S20	103	S19 same predetermined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:17
S21	19	S20 same (color or colour or pixel or red or blue or green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:17
S22	27	power near saving near mode same mask\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/08 17:22
S23	1028	data near lines same red same blue same (green or color or colour or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 07:35
S24	23	S23 same mask\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 07:35

EAST Search History

S25	1302	mask\$5 same (colors or colour or pixel or red or green or blue) same (gates or buffers or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:22
S26	30	S25 same data near lines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:22
S27	2	power near3 sav\$5 near3 mode same mask\$5 same lines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:33
S28	1169	pixel near3 (depth or size) same mask\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:33
S29	611	S28 same (color or colour or pixels or red or blue or green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:33
S30	44	S29 same (gates or buffers or logic or "and" or nand or nor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:48
S31	94	power same mode same mask\$5 same data same (color or colour or pixels or red or blue or green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:53
S32	495	mask\$5 near3 data near3 lines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:54
S33	49	S32 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/09 08:54
S34	52	mask\$4 near3 (gates or "or" or "and" or nor or logic) same power same mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 10:57

EAST Search History

S35	836	power same mode same mask\$5 same (data or image or pixels or colors or colours)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:25
S36	81	S35 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/22 17:25
S37	159848	(chang\$5 or adjust\$5) near2 (color or colour or pixel or red or blue or green)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 10:50
S38	23426	S37 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 10:50
S39	880	S38 same (gate\$1 or logic or "and" or "nand" or "nor")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 10:51
S40	16	S39 same mask\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 10:53
S41	1075	S37 with (gate\$1 or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 10:53
S42	307	S41 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 10:53
S43	97	S42 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 10:54
S44	111	mask\$6 near data near lines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:30

EAST Search History

S45	7	S44 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:51
S46	12276	mask\$5 near (gate\$1 or logic or "and" or "nand" or "or")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:51
S47	21	S46 with (data near lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 11:51
S48	15856	(pixel or color or colour or red or green or blue) same (adjust\$5 or chang\$5 or modif\$5) same (gate\$1 or logic or "or" or "and" or "nand")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 12:03
S49	4025	S48 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 12:03
S50	1431	S49 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 12:03
S51	78	S50 and power near3 mode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 12:03
S52	324156	(mask\$5 or chang\$5 or modif\$5 or adjust) near2 (pixel or color or colour or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:26
S53	39990	S52 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:27
S54	13989	S53 same (control\$5 or cpu or mpu or processor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:27

EAST Search History

S55	721	S54 same (gate\$1 or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:27
S56	293	S55 and "345"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 13:27
S57	0	mask\$5 near data near lines with (gate\$5 or logic) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 14:39
S58	5	mask\$5 near data near lines with (gate\$5 or logic) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 14:40
S59	188008	(pixel or color or colour) near3 (adjust\$5 or chang\$5 or medif\$5 or mask\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 14:41
S60	28711	S59 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 14:41
S61	1282	S60 same (gate\$5 or logic or "or" or "and" or "nand")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 14:42
S62	2	S61 same power near mode\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 14:45
S63	62	S61 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/05 14:45
S64	38875	(adjust\$5 or modify\$5 orchang\$5) near3 (pixel or color or colour)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 09:57

EAST Search History

S65	622	S64 with (gate41 or logic or "or" or "and" or "nand")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 09:58
S66	136	S65 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 09:58
S67	113	mask\$5 near (data near lines)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:31
S68	17	S67 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:35
S69	67	data near lines with mask\$ same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:35
S70	4	S69 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:36
S71	21	mask\$ same data near lines same display same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:41
S72	410	red same blue same green same lines same (mask or masking)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:42
S73	174	S72 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:42
S74	28	(reduc\$5 near power) and S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/09 15:42